



## Reinforced Concrete Pipe w/ Steel Ring Joint 30" - 96" Diameter



**Section Thru Barrel**



**Section Thru Joint**

<b>Table of Pipe Properties</b>					
Pipe Inside Diameter (inches)	B-Wall		C-Wall		Waterway Area (ft <sup>2</sup> )
	Wall Thickness (inches)	Approx. Weight (lbs/ft)	Wall Thickness (inches)	Approx. Weight (lbs/ft)	
30	3-1/2	384	4-1/4	476	4.91
36	4	524	4-3/4	633	7.07
42	4-1/2	685	5-1/4	812	9.62
48	5	867	5-3/4	1,011	12.6
54	5-1/2	1,071	6-1/4	1,232	15.9
60	6	1,296	6-3/4	1,474	19.6
66	6-1/2	1,542	7-1/4	1,738	23.8
72	7	1,810	7-3/4	2,023	28.3
78	7-1/2	2,098	8-1/4	2,329	33.2
84	8	2,409	8-3/4	2,656	38.5
90	8-1/2	2,740	9-1/4	3,004	44.2
96	9	3,093	9-3/4	3,374	50.3

**Notes:**

1. Pipe manufactured to meet current ASTM and AWWA specifications.
2. Pipe diameters larger than 96" are available.

**Disclaimer:**

The product information contained in this document is believed to be accurate. Please note that not all products are made at all our facilities. For more information, specifics, and product availability, please contact your local sales representative.